


ACME






Section of a full casing-covered jamb on one side and an adjustable jamb on the other side, outside flush swing-in.



Section of a full casing-covered jamb on one side and an adjustable jamb on the other side, outside flush swing-out.




Section of a L shape door jamb with one side adjustable casing, installed on shadow gap subframe.





Elm Brushed




Section of a L shape door jamb with one side adjustable casing, installed on normal masonry or dry wall.







DESIGN OPTIONS




GRACE





DESIGN OPTIONS




RHYME





DESIGN OPTIONS




SHAKER







DESIGN OPTIONS



HARMONY





DESIGN OPTIONS



MAGIC DOOR





HARDWARE OPTIONS



BJ79231



BJ79247



BJ79270



BJ79222



BJ79206



BJ79207



BJ74205



BJ74268



BJ74225



Magnetic mortise lock



4.5"X4.5" SS Hinge



4"X3" SS Hinge



Zinc Alloyed Hidden hinge

HARDWARE COLOUR OPTIONS



PC Polished Chrome




MSN Matt Satin Nickel




BLK Matt Black


STANDARD VENEER STAINED COLOURS



STANDARD MATT AND GLOSSY PAINT




STANDARD OPEN GRAIN LAQUERED COLOURS



TECHNICAL DRAWINGS

Pull Opening


Adjustable jamb with one-side casing
flush with door



L - finished opening width
600-900mm. 24" - 36"
H - finished opening height
Max 3000mm, 118 - 1/4"
L1 - rough opening width
L + 90mm
H1 - rough opening height
H + 55mm

Push Opening


Adjustable jamb with one-side casing
flush with door



L - finished opening width
600-900mm. 24" - 36"
H - finished opening height
Max 3000mm, 118 - 1/4"
L1 - rough opening width
L + 110mm
H1 - rough opening height
H + 65mm

TECHNICAL DRAWINGS

Magic door



L - opening width
600-900 27 1/2" - 35 1/2"
H - opening height
Max 3000mm, 118
DL - door width
L + 220mm